



iMagō LAND

3655 NW 115 Ave. Doral - FL. 33178

+1 (786) 291.2684

+1 (786) 612.7962

cs@imagoland.us

contact@imagoland.us

SERIE MIA

Creative flat screen for rent
Indoor and Outdoor

3840^{HZ}

REFRESH RATE

800-5,500

BRIGHTNESS (NITS)



MAIN PRODUCT FEATURES

01

Extremely close viewing distances and wide viewing angles.

02

Silent operation, low heat generation (fanless).

03

The panel design makes storage, transport, assembly and maintenance easy and simple.



04

Lightweight and seamless cabinet.


PRODUCT SPECIFICATIONS / PARAMETERS - MIA SERIES

	INDOOR			OUTDOOR	
Modelos	RC1.9-COB	RC1.9-GOB	RC2.6	RC2.9	RC3.9
Pixel Pitch / mm	1.95	1.95	2.6	2.97	3.91
Brightness / nits	1500	800	800	4000-5500	5000
Contrast Ratio	3000:1	3000:1	3000:1	20000:1	20000:1
Refresh Rate / Hz	3840	3840	3840	7680	7680
Grayscale / bit Depth	14-16	14-16	14-16	18-22	18-22
Viewing Angle H/V	160°/120°				
Front/Rear IP Rating	IP30/IP30	IP30/IP30	IP30/IP30	IP65/IP54	IP65/IP54
Max/Avg Power Consumption W/m ²	450/150	450/150	450/150	730/245	730/245
Cabinet Size / mm	500x500x82				
Cabinet Weight / kg	7.5				
Cabinet Material	Die-cast Aluminum				
Module Dimension / mm	250x250x14.6				
Cabinet Resolution / Px	256x256	256x256	192x192	168x168	128x128
Pixel Density Px/m ²	262144	262144	147456	112896	65536


MEASUREMENT



ENGINEERING INFORMATION AND MODULARITY



Rotating curved interlock for angles of -10° , -5° , 0° , $+5^\circ$, $+10^\circ$ (convex, flat, concave).



Modular design: The module, the power box, and the cabinet frame are three independent structures.

The special design of the **module frame** ensures a flatness tolerance limit of 0.1 mm.

*i*Magō^oLAND

✉ cs@imagoland.us

☎ Tel. +1 786 291 2684